

PSC NO: 15 ELECTRICITY  
COMPANY: CENTRAL HUDSON GAS & ELECTRIC CORPORATION  
INITIAL EFFECTIVE DATE: 08/27/17

LEAF: 218.1  
REVISION: 13  
SUPERSEDING REVISION: 12

**SERVICE CLASSIFICATION NO. 8** (Cont'd)**PUBLIC STREET AND HIGHWAY LIGHTING** (Cont'd)**RATES** (Cont'd)A. **Company Owned and Maintained** (Cont'd)4) **Standard Decorative and Special Purpose Luminaires**a. **Annual Service**

Lamp Watts	Lamp Lumens	Lamp Type	Fixture Wattage	Fixture	Annual kWh	Annual Charge
70	5,800	Sodium Vapor	86	Acorn Dec.	344	\$248.67
85	6,000	Induction	85	Acorn Dec.	340	337.30
175	14,000	Metal Halide	205	Acorn Dec.	820	314.73
** 150	16,000	Sodium Vapor	180	Victorian Gaslight	720	320.43
250	27,000	Sodium Vapor	316	Highway Setback	1,264	304.05
400	50,000	Sodium Vapor	496	Highway Setback	1,984	341.85
250	20,500	Metal Halide	300	Highway Setback	1,200	348.37
400	36,000	Metal Halide	464	Highway Setback	1,856	339.25
400	50,000	Sodium Vapor	496	Flood- light	1,984	316.38
400	36,000	Metal Halide	464	Flood- light	1,856	303.23
1000	110,000	Metal Halide	1,100	Flood- light	4,400	520.88
** 250	27,000	Sodium Vapor	316	Dec. Teardrop	1,264	366.31
** 400	50,000	Sodium Vapor	496	Dec. Teardrop	2,480	429.68
** 250	20,500	Metal Halide	300	Dec. Teardrop	1,200	396.91
** 400	36,000	Metal Halide	464	Dec. Teardrop	1,856	406.88

\*\* The charges for these fixtures apply to existing installations only. These fixtures will no longer be available for installation at new locations. Upon failure, fixtures will not be replaced in kind.

Issued by: Anthony S. Campagiorni, Vice President, Poughkeepsie, New York

Cancelled by supplement No. 97 effective 06/22/2018

Suspended to 06/25/2018 by order in Case 17-E-0459. See Supplement No. 94. The supplement filing date was 11/15/2017  
Suspended to 12/25/2017 by order in Case 17-E-0459. See Supplement No. 92. The supplement filing date was 08/09/2017