

PSC NO: 9 GAS  
CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.  
INITIAL EFFECTIVE DATE: 6/1/2011

STATEMENT TYPE: MRA  
STATEMENT NO: 112

### STATEMENT OF MONTHLY RATE ADJUSTMENT

Applicable to Billings Under Service Classifications of  
the Schedule for Firm Gas Service

1. Non-Firm Revenue Credit per therm, as explained in General Information Section VII (B).....	(0.5363)	cent*
2. Research and Development Surcharge per therm.....	0.1740	cent
3. Transition Surcharge per therm, as explained in General Information Section IX (4).....	0.0000	cent
4. Load Following Service Charge per therm, as explained in General Information Section IX (6).....	7.3000	cents
5. Transition Adjustment for Competitive Services as explained in General Information Section IX (7).....	(0.0063)	cent*
6. Gas in Storage Working Capital Surcharge per therm, as explained in General Information Section IX (13).....	0.1503	cent
7. Oil to Gas Conversion Program Surcharge per therm, as explained in General Information Section IX (14).....	0.1930	cent
8. Uncollectibles Charge per therm, as explained in General Information Section IX (12).....	0.0569	cent
9. Other Non-Recurring Adjustments, as explained in General Information Section IX (19).....	(0.2162)	cent*
10. Low Income Reconciliation Adjustment , as explained in General Information Section IX (10).....	0.1825	cent
11. Gas Facility Costs Credit per therm (applicable to New York City Customers), as explained in General Information Section IX (3), to be credited during the periods designated below are as follows:	0.0000	cent
12. Total Gas Facility Cost Credit per therm as set forth in Line 11 above is .....	0.0000	cent
13. The rate adjustment per therm effective June 1, 2011, and continuing there-after until changed, will be:		
(a) County of Westchester Customers - the sum of the unit amounts per therm set forth on Lines 1 through 10 .....	7.2979	cents
(b) New York City Customers - Lines 11 and 13(a).....	7.2979	cents

\* ( ) Denotes a credit.

For Space Heating Customers, the rate adjustment per therm is subject to a Weather Normalization Adjustment, as explained in General Information Section IX (A).

Issued by: Christine Colletti, Director, Rate Engineering Department  
Consolidated Edison Company of New York, Inc., New York, New York