

PSC No: 18 – Electricity
Rochester Gas & Electric Corporation
Initial Effective Date: August 1, 2009

Statement Type: TSAS
Statement Number: 02
Page 1 of 1

Temporary State Assessment Surcharge Statement

The following charges are applicable to the unit charges listed in the service classifications listed below. See General Information Section 4.4. Surcharge to Collect Temporary State Assessment for further details.

Service Classification No. 1	Charge per Unit
Company Owned	
Incandescent 1260 Lumen	\$0.10954
Incandescent 2500 Lumen	\$0.10131
Incandescent 2800 Lumen	\$0.10692
Incandescent 2800 Lumen (C-5)	\$0.31881
Incandescent 4000 Lumen	\$0.13815
Incandescent 6000 Lumen	\$0.17778
Incandescent 10000 Lumen	\$0.32799
Mercury Vapor 4400 Lumen (100 Watt)	\$0.06432
Mercury Vapor 8500 Lumen (175 Watt)	\$0.09296
Mercury Vapor 13000 Lumen (250 Watt)	\$0.12359
Mercury Vapor 23000 Lumen (400 Watt)	\$0.18758
Mercury Vapor 60000 Lumen (1000 Watt)	\$0.42901
High Pressure Sodium 4000 Lumen (50 Watt)	\$0.02955
High Pressure Sodium 5800 Lumen (70 Watt)	\$0.03815
High Pressure Sodium 9500 Lumen (100 Watt)	\$0.05128
High Pressure Sodium 16000 Lumen (150 Watt)	\$0.07197
High Pressure Sodium 275000 Lumen (250 Watt)	\$0.12057
High Pressure Sodium 50000 Lumen (400 Watt)	\$0.18038
High Pressure Sodium 140000 Lumen (1000 Watt)	\$0.52427
Fluorescent 6950 Dusk-to-Dawn (100 Watt)	\$0.07178
Fluorescent 6950 24-hour burning (100 Watt)	\$0.11578
Metal Halide 4000 Lumen (70 Watt)	\$0.06643
Metal Halide 5850 Lumen (100 Watt)	\$0.06571
Metal Halide 10500 Lumen (175 Watt)	\$0.06324
Metal Halide 17000 Lumen (250 Watt)	\$0.06332
Metal Halide 28800 Lumen (400 Watt)	\$0.06332
Service Classification No. 2	
Customer Owned	
Energy Delivery Charge	Charge per kWh
24-hour Burning service	\$0.00033
Dusk-to-Dawn service	\$0.00091
Dusk-to-1:00 a.m. service	\$0.00262
Service Classification No. 3	
Traffic Signal Service	
Energy Delivery per Billing Face	\$0.02508

Issued by: James A. Lahtinen, Vice President - Rates & Regulatory Economics, Rochester, NY