PSC NO: 9 GAS COMPANY: NATIONAL FUEL GAS DISTRIBUTION CORPORATION INITIAL EFFECTIVE DATE: 12/1/2020 STATEMENT TYPE: WNA STATEMENT NO: 44

Page 1 of 1

STATEMENT OF WEATHER NORMALIZATION CLAUSE MULTIPLIERS

Effective With Usage During Billing Period Commencing December 1, 2020 Applicable to Billings Under Service Classification Nos. 1, 2, 3, 4 and 5 NATIONAL FUEL GAS DISTRIBUTION CORPORATION P.S.C. No. 9 - GAS

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Billing Control	October 2020
3 0.123068 4 0.103149 5 0.066008 6 0.064192 7 0.054030 8 0.043460 9 0.039421 10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	1	0.143343
4 0.103149 5 0.066008 6 0.064192 7 0.054030 8 0.043460 9 0.039421 10 0.111957 11 0.16976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	2	0.131200
5 0.066008 6 0.064192 7 0.054030 8 0.043460 9 0.039421 10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	3	0.123068
60.06419270.05403080.04346090.039421100.111957110.116976120.158967130.133970140.118841150.131292160.218283170.240013180.267231190.206009200.178740	4	0.103149
7 0.054030 8 0.043460 9 0.039421 10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	5	0.066008
8 0.043460 9 0.039421 10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	6	0.064192
9 0.039421 10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	7	0.054030
10 0.111957 11 0.116976 12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	8	0.043460
110.116976120.158967130.133970140.118841150.131292160.218283170.240013180.267231190.206009200.178740	9	0.039421
12 0.158967 13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	10	0.111957
13 0.133970 14 0.118841 15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	11	0.116976
140.118841150.131292160.218283170.240013180.267231190.206009200.178740	12	0.158967
15 0.131292 16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	13	0.133970
16 0.218283 17 0.240013 18 0.267231 19 0.206009 20 0.178740	14	0.118841
170.240013180.267231190.206009200.178740	15	0.131292
18 0.267231 19 0.206009 20 0.178740	16	0.218283
19 0.206009 20 0.178740	17	0.240013
20 0.178740	18	0.267231
20 00	19	0.206009
21 0.123964	20	0.178740
	21	0.123964

The Weather Normalization Adjustment Clause is not applicable during the months of June through September.

Date: November 25, 2020

Cancelled by Doc. Num. 45 effective 01/01/2021 Issued by D.L. DeCarolis, President, 6363 Main Street, Williamsville, NY 14221

(Name of Officer, Title, Address)