Status: CANCELLED Received: 02/12/2024 Effective Date: 02/15/2024

Statement Type: BSC Statement No: 104

\$1.00 + 120% x cost of gas

PSC No: 9 GAS CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

INITIAL EFFECTIVE DATE: 2/15/2024

STATEMENT OF BALANCING SERVICE CHARGES APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20

-	Delivery Service (DDS) (effective for the month of Februa scribed in SC 20 - Operational Matters (C)(1)	ry 20	24)		<u>\$/Dth</u>	
1. Tie	er 2(A) - Managed Supply (Storage)				Effective Monthly	
		Ann	ual Demand Price		Effective Monthly Rate	-
Dema	and rate/dtherm (annual cost recovered over 5 winter months)	\$				0
Comn	nodity rate / dtherm				\$ 3.16	9
2. Tie	er 3 - Peaking	_				
		Ann	ual Demand <u>Price</u>		Effective Monthly Rate	_
Dema	and rate/dtherm (annual cost recovered over 5 winter months)	\$	65.802		\$ 13.16	0
Comn	nodity rate per dekatherm* based on a weighted average of the follow	ing da	ily indices:			
	Transco Zone 6 NY mid-point price		28.0%			
	Texas Eastern M3 mid-point price		41.0%			
	Iroquois Zone 2 mid-point price		31.0%			
	n LNG is called upon by the Company to meet peak demand the Tier clude the Company's LNG inventory price.	3 com	modity price			
3. Ba	seload					
					Effective Monthly Rate	_
Base	load Service Commodity Price					0
settlei	Baseload Service Commodity Price, in dollars per dekatherm, is calculared the month of flow and the weighted average of the contine weighting based on the quantity of Baseload Service delivered the	racted	basis by citygate	Э,		
	Tennessee – White Plains		100.0%			
	Texas Eastern – Lower Manhattan		0.0%			
	Iroquois - Iroquois Zone 2		0.0%			
	Transco – Zone 6 NY		0.0%			
B. Firm	Transportation - Daily Balancing				\$/therm	
Defici	Monthly Imbalance Charges per therm applicable to Surplus or ency Imbalances payable by an SC 20 Seller who delivers gas for customer or a firm customer aggregation group taking Daily Delivery	Servic	ce:			
1.	Surplus Imbalance			!	\$ 0.1	n
2.	Deficiency Imbalance charge per therm during summer and winter periods as explained on Leaf Nos. 367 and 367.1				•	
	a. Up to 2%			. 100%	x cost of gas	
	b. Greater than 2% but less than 5%				x cost of gas	
	c. 5% and above			¢0 10 ± 1200	% v cost of gos	
	summer period winter period				% x cost of gas % x cost of gas	
3. _{Can}	Deficiency Imbalance during an OFO period 03/1:4/2024······			_	r of \$5.00 or	

Status: CANCELLED Received: 02/12/2024 Effective Date: 02/15/2024

PSC No: 9 GAS Statement Type: BSC Statement No: 104

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

INITIAL EFFECTIVE DATE: 2/15/2024 Page 2 of 2

> STATEMENT OF BALANCING SERVICE CHARGES APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20

> > \$/therm

C. Citygate Balancing Charges for Interruptible Monthly Balancing Service

The Citygate Balancing Charges per therm applicable to Surplus or Deficiency Imbalances payable by an SC 20 Seller who delivers gas for Interruptible or Off-Peak Firm SC 9 customers or a Direct Customers as described in SC 20 - Charges and Credits (C):

1.	Citygate Surplus Credit	daily cashout price			
2.	Citygate Deficiency Charge	daily cashout price + \$2.50 per therm			
3.	Citygate Deficiency Charge during an OFO period	daily cashout price + \$5.00 per therm			
The daily cashout price is set at the cost of gas as described in SC 20 - Charges and Credits (C)					

D. Group Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer Group Balancing Service during the monthly billing period\$ 0.0020

E. Variable Balancing Charge - Interruptible Daily Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Daily Balancing Service during the monthly billing period\$ 0.0015

F. Variable Balancing Charge - Interruptible Monthly Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Monthly Balancing Service during the monthly billing period\$ 0.0020

G. Variable Balancing Charge - Power Generators

The balancing charge per therm applicable to all gas consumed by Power Generators taking Balancing Service\$ 0.0014