Status: CANCELLED Received: 01/26/2022 Effective Date: 01/29/2022

Received: 01/20/2022

PSC No: 9 GAS

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

Statement Type: BSC

Statement No: 87

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC. INITIAL EFFECTIVE DATE: 1/29/2022

STATEMENT OF BALANCING SERVICE CHARGES

APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20

	y Delivery Service (DDS) (effective for the month of Januar escribed in SC 20 - Operational Matters (C)(1)	ry 2022)	\$/Dth
1. Ti	er 2(A) - Managed Supply (Storage)	Annual Demand	Effective Monthly
Dem	and rate/dtherm (annual cost recovered over 5 winter months)	<u>Price</u> 233.448	<u>Rate</u> 46.690
Com	modity rate / dtherm		\$ 3.046
2. Ti	er 3 - Peaking	A 15	E.C. C. M. (1)
		Annual Demand Price	<u>Effective Monthly</u> <u>Rate</u>
Dem	and rate/dtherm (annual cost recovered over 5 winter months)	44.364	8.873
Com	modity rate per dekatherm* based on a weighted average of the follow	ring daily indices:	
	Transco Zone 6 NY mid-point price	33.0%	
	Texas Eastern M3 mid-point price		
	Iroquois Zone 2 mid-point price		
	en LNG is called upon by the Company to meet peak demand the Tier include the Company's LNG inventory price.	3 commodity price	
3. B	aseload		
			Effective Monthly
Rasi	eload Service Commodity Price		<u>Rate</u> 6.447
settle	Baseload Service Commodity Price, in dollars per dekatherm, is calculement price for the month of flow and the weighted average of the contithe weighting based on the quantity of Baseload Service delivered the	tracted basis by citygate,	
	Tennessee – White Plains	87.1%	
	Texas Eastern – Lower Manhattan		
	Iroquois - Hunts Point		
	Transco – Manhattan	0.0%	
B. Firm	n Transportation - Daily Balancing		<u>\$/therm</u>
Defic	Monthly Imbalance Charges per therm applicable to Surplus or ciency Imbalances payable by an SC 20 Seller who delivers gas for n customer or a firm customer aggregation group taking Daily Delivery	Service:	
1.	Surplus Imbalance		\$ 0.10
2.	Deficiency Imbalance charge per therm during summer and winter periods as explained on Leaf Nos. 367 and 367.1		,
	a. Up to 2%		100% x cost of gas
	b. Greater than 2% but less than 5%		110% x cost of gas
	c. 5% and above		
	1. summer period	\$0.10	+ 120% x cost of gas
	2. winter period		+ 120% x cost of gas
		······· + ·····	g

higher of \$5.00 or \$1.00 + 120% x cost of gas

3. Can Deficiency Imbalance during au PED period 2/14/2022

Status: CANCELLED Received: 01/26/2022 Effective Date: 01/29/2022

PSC No: 9 GAS Statement Type: BSC

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

Statement No: 87 INITIAL EFFECTIVE DATE: 1/29/2022 Page 2 of 2

STATEMENT OF BALANCING SERVICE CHARGES APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20

\$/therm

C. Citygate Balancing Charges for Interruptible Monthly Balancing Service

The Citygate Balancing Charges per therm applicable to Surplus or Deficiency Imbalances payable by an SC 20 Seller who delivers gas for Interruptible or Off-Peak Firm SC 9 customers or a Direct Customers as described in SC 20 - Charges and Credits (C):

1.	Citygate Surplus Credit	daily cashout price	
2.	Citygate Deficiency Charge	daily cashout price + \$2.50 per therm	
3.	Citygate Deficiency Charge during an OFO period	daily cashout price + \$5.00 per therm	
The daily cashout price is set at the cost of gas as described in SC 20 - Charges and Credits (C)			

D. Group Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer Group Balancing Service during the monthly billing period\$ 0.0020

E. Variable Balancing Charge - Interruptible Daily Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Daily Balancing Service during the monthly billing period\$ 0.0015

F. Variable Balancing Charge - Interruptible Monthly Balancing Service

The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Monthly Balancing Service during the monthly billing period\$ 0.0020

G. Variable Balancing Charge - Power Generators

The balancing charge per therm applicable to all gas consumed by Power Generators taking Balancing Service\$ 0.0014