Received: 12/20/2011 Status: CANCELLED Effective Date: 04/01/2012

P.S.C. NO. 3 ELECTRICITY LEAF: 44
ORANGE AND ROCKLAND UTILITIES, INC. REVISION: 0
INITIAL EFFECTIVE DATE: April 1, 2012 SUPERSEDING REVISION:

GENERAL INFORMATION

3. HOW TO OBTAIN SERVICE (Continued)

3.7 ALLOWANCES FOR THE PROVISION OF ELECTRIC SERVICE

(A) Allowance for Mandatory Residential Underground Service

Where the Company is required, by the Commission or a governmental authority having jurisdiction to do so, to provide residential underground service, the cost and expense which the Company must bear, except as otherwise provided in the Rules of the Public Service Commission parts 98, 99 and 100, or as set forth in General Information Section No. 5 shall include the material and installation costs for up to a total of 100 feet of single phase underground distribution line (including supply line) and underground service line per dwelling unit served, measured from the Company's existing electric system (from the connection point on the bottom of the riser pole for overhead to underground connections) to each applicant's meter or point of attachment with respect to each residential building. For multiple occupancy buildings the footage allowance for each building shall be up to 100 feet of single phase underground line times the average number of dwelling units per floor of each building. The average number of dwelling units per floor is calculated as follows:

total # of units/# floors = number of allowances.

If the Company receives an application for underground residential service outside a subdivision, and a governmental authority having jurisdiction to do so has required that the facilities be installed underground, the Company may, if the per-foot cost of installing the necessary facilities will be greater than two times the charges per foot set forth in General Information Section No. 3.8(B), petition the Secretary of the Commission to allow a greater contribution to the cost of installation of the facilities than would otherwise be required.

Issued By: William Longhi, President, Pearl River, New York