

PSC NO: 1 ELECTRICITY

LEAF: 15

COMPANY: BATH ELECTRIC, GAS & WATER SYSTEMS

REVISION: 6

INITIAL EFFECTIVE DATE: 05/01/08

SUPERSEDING REVISION: 5

Issued in compliance with order in Case #07-E-0754 dated 04/23/2008

SERVICE CLASSIFICATION NO. 5 (CON'T)
Private Outdoor Lighting

FACTOR OF ADJUSTMENT:

The factor of adjustment pursuant to Rule IX.D of the NYMPA generic tariff is 1.0643637.

PURCHASED POWER ADJUSTMENT:

All kilowatt-hours sold under this service classification shall be subject to Purchased Power Adjustment Charges in accordance with Section X of the Bath Electric, Gas and Water Systems Tariff and consistent with Rule IX of the NYMPA generic tariff.

TERM OF SERVICE:

The negotiated term of service shall be as specified in the Service Agreement. After the initial term of service, the Company shall continue to provide and the customer shall continue to take service under the terms of this tariff and the accompanying Service Agreement until either party terminates upon six months written notice.

SPECIAL PROVISION:

Eligibility Criteria: A new or existing customer who meets all eligibility requirements stated below shall be eligible to take service in accordance with the rates, charges and provisions set forth under this Service Classification.

1. Customer adds incremental load by (a) constructing a new facility; or (b) expanding an existing facility; or (c) adding facilities or equipment to an existing site; or (d) adding facilities through the redevelopment of a vacant or inactive site, including land or buildings which have been previously developed; or (e) the customer has an option to relocate its facility or equipment and provides evidence to the Company's satisfaction of such an option, subject to a confidentiality agreement, and
2. Customer shall apply for service under this Service Classification prior to the addition of load as described in Requirement (1) above.

Issued by: Matthew C. Benesh, Director of Municipal Utilities, 7-11 South Ave, Bath, NY 14810