

PSC NO: 121 ELECTRICITY  
NEW YORK STATE ELECTRIC & GAS CORPORATION  
Initial Effective Date: 01/01/08

Leaf: 57  
Revision: 8  
Superseding Revision: 7

### SERVICE CLASSIFICATION NO. 3 (Cont'd.)

#### SUPPLY SERVICE OPTIONS AVAILABLE TO CUSTOMER: (CONT'D.)

#### 3. NYSEG Default Supply Option (DSO) (Cont'd.)

	Monthly Luminaire Charge
<b>Fluorescent</b>	
95 Watts+ - 5,000 Lumen	\$6.69
235 Watts+ - 10,000 Lumen (2 Lamp)	6.83
380 Watts+ - 20,000 Lumen (2 Lamp)	7.58
<b>High Pressure Sodium Special Luminaires</b>	
250 Watts+ - 24,700 - Concourse - A	\$11.80
400 Watts+ - 45,000 - Concourse - A	14.27
250 Watts - 24,700 - Hiway Liter	39.58
400 Watts - 45,000 - Hiway Liter	39.58
150 Watts - 14,400 - Turnpike	15.11
250 Watts - 24,700 - Turnpike	18.82
400 Watts - 45,000 - Turnpike	18.01
150 Watts - 14,400 - Floodlight	12.68
250 Watts - 24,700 - Floodlight	12.68
400 Watts - 45,000 - Floodlight	12.68
<b>Metal Halide - Floodlights</b>	
250 Watts - 16,000 Lumen	\$11.98
400 Watts - 28,000 Lumen	13.37

+ Luminaires are no longer available for new installations. Upon failure, luminaires will not be replaced in kind. Customer may select an alternative luminaire light source from the tariff.

#### Commodity Service

The charge for Electric Power Supply provided by NYSEG will fluctuate each month as further described in PSC No. 120 General Information Section 25.I.C., Calculation of the Commodity Charge.

In the event that NYSEG determines that it will incur an estimated gain or loss because purchases for DSO customers were made in the real-time market at prices differing from those in the day-ahead market, NYSEG will credit or recover the full amount of the estimated gain or loss through the non-bypassable charge from DSO customers.

Issued in compliance with order in Case No. 07-E-1192 dated 12/14/07.

Issued by: James A. Lahtinen, Vice President - Rates & Regulatory Economics, Binghamton, NY