PSC NO: 12 GAS LEAF: 83 COMPANY: THE BROOKLYN UNION GAS COMPANY REVISION: 12 INITIAL EFFECTIVE DATE: 10/13/04 SUPERSEDING REVISION: 10 STAMPS:

GENERAL INFORMATION - Continued

The Weather Adjustment on a customer's bill is made by multiplying the Weather Normalization Adjustment Factor (WNF) by the customer's total consumption for that billing period. The Company will file all Weather Normalization Adjustments with the Commission on a monthly basis.

Customer Class	Base Load Factor (Dth/Day)	Degree Day Factor (Dth/Degree Day)	Margin <u>(\$/Therm)</u>
SC 1B, 1BI, 1BR,			
16 (CTBS-1B, 1BI, 1BR),			
17 (CTS-1B, 1BI, 1BR),	52,546	10,829	\$.354
SC 2 (RS-2), 16 (CTBS-2,			
RS-2), 17 (CTS-2, RS-2	6,994	1,438	.303
SC 3, 16 (CTBS-3),			
17 (CTS-3)	8,096	1,398	.220
SC 4B, 16 (CTBS-4B),			
17 (CTS-4B)	298	19	.309
Normal Heating			

	Normal Heatin	
Month	Degree Days	
October	249	
November	518	
December	869	
January	1,021	
February	865	
March	693	
April	375	
May	126	

Issued by John J. Bishar, Jr., Senior Vice President, General Counsel and Secretary, Brooklyn, NY