PSC NO: 121 ELECTRICITY NEW YORK STATE ELECTRIC & GAS CORPORATION Initial Effective Date: 12/01/03

Leaf: 58 Revision: 0 Superseding Revision:

SERVICE CLASSIFICATION NO. 3 (Cont'd.)

3. Other Facility Charges: (Annual Rate)

Charges will apply for all rate choices described in this Service Classification.

| | Facility Charge | Energy Charge | Total |
|--|-----------------|---------------|----------|
| Pole Installed by the Corporation Solely for Street | | | |
| Lighting Service | | | |
| Standard Wood Pole | \$136.00 | n/a | \$136.00 |
| Wood Pole - high mount use (45' or greater) | 309.33 | n/a | 309.33 |
| Steel Pole* | 49.98 | n/a | 49.98 |
| Square Steel Pole 30'* | 181.75 | n/a | 181.75 |
| Aluminum Pole 16' and under | 68.14 | n/a | 68.14 |
| Alum. Pole over 16' installed prior to August 1, 1987 | 124.68 | n/a | 124.68 |
| Alum. Pole over 16' direct embedded installed after July 31, 1987 | 124.68 | n/a | 124.68 |
| Alum. Pole over 16' pedestal mounted | 270.02 | n/a | 270.02 |
| Concrete Pole* | 56.82 | n/a | 56.82 |
| Laminated Wood Pole* | 45.43 | n/a | 45.43 |
| Fiberglass Pole 18' and under | 63.47 | n/a | 63.47 |
| Fiberglass Pole 18' to 22' | 86.33 | n/a | 86.33 |
| Center Bored Wood Pole* - (no longer available) | 102.24 | n/a | 102.24 |
| Concrete Base for pedestal mounted poles Screw-in steel base for pedestal mounted poles: | 239.86 | n/a | 239.86 |
| Light Duty | 148.73 | n/a | 148.73 |
| Heavy Duty | 189.25 | n/a | 189.25 |
| Special Brackets | | | |
| Standard Bracket - 16' and over | \$26.67 | n/a | \$26.67 |
| Bracket Allowance* | (7.02) | n/a | (7.02) |
| Bracket for post-top use on wood poles* | 4.52 | n/a | 4.52 |
| Circuit Control | | | |
| Group Controllers | \$34.04 | n/a | \$34.04 |
| 3000 Watt Photo Cell | 22.73 | n/a | 22.73 |
| Circuits (Per Trench Foot**) | | | |
| Cable and Conduit | \$0.8869 | n/a | \$0.8869 |
| Direct Burial Cable | 0.7586 | n/a | 0.7586 |
| Cable Only (Conduit Supplied by Customer) | 0.4042 | n/a | 0.4042 |
| Underground Circuits* | 0.5391 | n/a | 0.5391 |

**Trench foot is defined as the distance from one standard to another standard, handhole, or transformer.

Issued by: James A. Lahtinen, Vice President - Rates & Regulatory Economics, Binghamton, NY