

PSC NO: 12 GAS

LEAF: 83

COMPANY: THE BROOKLYN UNION GAS COMPANY

REVISION: 16

INITIAL EFFECTIVE DATE: 10/13/05

SUPERSEDING REVISION: 15

STAMPS:

GENERAL INFORMATION - Continued

The Weather Adjustment on a customer's bill is made by multiplying the Weather Normalization Adjustment Factor (WNF) by the customer's total consumption for that billing period. The Company will file all Weather Normalization Adjustments with the Commission on a monthly basis.

<u>Customer Class</u>	<u>Base Load Factor (Dth/Day)</u>	<u>Degree Day Factor (Dth/Degree Day)</u>	<u>Margin (\$/Therm)</u>
SC 1B, 1BI, 1BR, 1B-DG 17 (CTS-1B, 1BI, 1BR),	52,346	10,243	\$.354
SC 2 (RS-2), 17 (CTS-2, RS-2)	7,572	1,392	.303
SC 3, 17 (CTS-3)	8,457	1,499	.220
SC 4B, 17 (CTS-4B)	422	25	.309

<u>Month</u>	<u>Normal Heating Degree Days</u>
October	249
November	518
December	869
January	1,021
February	865
March	693
April	375
May	126

Issued by John J. Bishar, Jr., Senior Vice President, General Counsel and Secretary, Brooklyn, NY