Received: 07/20/2005 Status: CANCELLED Effective Date: 02/01/2006

PSC NO: 121 ELECTRICITY

NEW YORK STATE ELECTRIC & GAS CORPORATION

Initial Effective Date: 01/01/06

Leaf: 57

Revision: 1

Superseding Revision: 0

## SERVICE CLASSIFICATION NO. 3 (Cont'd.)

## RATE CHOICES AVAILABLE TO CUSTOMER: (CONT'D.)

4. NYSEG Variable Price (VRO) (Cont'd.)

	Monthly Luminaire Charge
Fluorescent 95 Watts* - 5,000 Lumen 235 Watts* - 10,000 Lumen (2 Lamp) 380 Watts* - 20,000 Lumen (2 Lamp) 470 Watts* - 20,000 Lumen (4 Lamp)	\$6.35 6.48 7.20 8.00
High Pressure Sodium Special Luminaires 400 Watts*+ - 45,000 - Spacelite 250 Watts*+ - 24,700 - Decaglow or 400 Watts*+ - 45,000 - Decashield 250 Watts*+ - 45,000 - Concourse - A 400 Watts*+ - 45,000 - Concourse - A 250 Watts - 24,700 - Versa Flood P.T. 250 Watts - 24,700 - Hiway Liter 400 Watts - 45,000 - Hiway Liter 150 Watts - 14,400 - Turnpike 250 Watts - 24,700 - Turnpike 400 Watts - 45,000 - Turnpike 150 Watts - 14,400 - Floodlight 250 Watts - 14,400 - Floodlight 400 Watts - 45,000 - Floodlight	\$13.59 11.63 13.99 11.20 13.55 9.47 37.59 37.59 14.35 17.87 17.10 12.04 12.04 12.04
Metal Halide - Floodlights 250 Watts - 16,000 Lumen 400 Watts - 28,000 Lumen	\$11.38 12.70

<sup>+</sup> Luminaires are no longer available for new installations. Upon failure and fulfillment of contract, lights will not be replaced in kind. Customer may select an alternative luminaire light source from the tariff.

## <u>Transition Charge (Non-Bypassable Wires Charge ["NBWC"]):</u>

All customers served under this Service Classification, taking service under the NYSEG Variable Price (VRO) rate will be required to pay a Transition Charge (NBWC), as further described under Rate Choice No. 1, Competitive Supplier Price (ERO).

## Commodity Service

The charge for Electric Power Supply provided by NYSEG will fluctuate with the market price of electricity and will include the following components: energy, Energy Losses (which include Unaccounted For Energy), Unforced Capacity (UCAP), UCAP Reserves, and UCAP Losses. This charge is determined using the same methodology as described above in this Service Classification under the detailed explanation of the Retail Access Credit (applied to the NYSEG Fixed Price with Supply Credit, Rate Choice No. 2); items "a" (Energy) and "b" (Capacity).

In the event that NYSEG determines that it will incur an estimated gain or loss because purchases for VRO customers were made in the real-time market at prices differing from those in the day-ahead market, NYSEG will credit or recover the full amount of the estimated gain or loss through the non-bypassable wires charge from VRO customers.

Issued by: James A. Lahtinen, Vice President - Rates & Regulatory Economics, Binghamton, NY