

..DID: 20983  
 ..TXT: PSC NO: 90 GAS LEAF: 102  
 COMPANY: NEW YORK STATE ELECTRIC & GAS CORPORATION REVISION: 1  
 INITIAL EFFECTIVE DATE: 12/01/02 SUPERSEDING REVISION:  
 STAMPS: Issued in compliance with Commission order in Case 01-G-1668 dated 11/  
 RECEIVED: 11/26/02 STATUS: Effective EFFECTIVE: 12/01/02

### GENERAL INFORMATION

#### 17. WEATHER NORMALIZATION ADJUSTMENT (WNA): (CONT'D)

##### B. Calculation of the WNA: (Cont'd)

##### (2) Where, (Cont'd)

- (l) "WNA<sub>n</sub>" is the weather normalization adjustment for the applicable rate block and is expressed in dollars.
- (m) "R<sub>n</sub>" is the applicable block rate and is expressed in dollars per Therm.
- (n) "WNA<sub>total</sub>" is the customer's weather normalization adjustment and is expressed in dollars.

#### 18. RESEARCH AND DEVELOPMENT (R&D) ADJUSTMENT:

- A. Consistent with the PSC's order in Case 99-G-1369, the Company will implement a Research and Development (R&D) Adjustment to provide funding for R&D programs.
- B. The R&D Adjustment will be applicable to:
  - (1) Service Classification Nos. 1, 4, 5, 13 and 14 of PSC No. 88 Gas, or superseding issues thereof, and
  - (2) Service Classification Nos. 1, 2, 5, 8 and 9 of PSC No. 87 Gas, or superseding issues thereof.
- C. R&D funding obtained through application of the R&D Adjustment may equal, but not exceed, \$650,000 per calendar year.

#### 19. PIPELINE SUPPLIER ADJUSTMENTS:

##### A. Pipeline Supplier Adjustments (PSA):

##### (1) Take-Or-Pay (TOP) Surcharge:

The Pipeline Supplier Adjustment (PSA) Statement applicable to Service Classification Nos. 1, 4, 5, 13 and 14 of PSC No. 88 Gas, or superseding issues thereof, shall reflect a surcharge as stated below:

Issued By: James A. Lahtinen, Vice President-Rates & Regulatory Economics, Binghamton, NY

(Name of Officer, Title, Address)