

..DID: 619
 ..TXT: PSC NO: 214 ELECTRICITY LEAF: 22
 COMPANY: NIAGARA MOHAWK POWER CORPORATION REVISION: 0
 INITIAL EFFECTIVE DATE: 05/26/97 SUPERSEDING REVISION:
 STAMPS:
 Cancelled by 1 Rev. Leaf No. 22 Effective 08/21/1998
 RECEIVED: 03/12/97 STATUS: Cancelled EFFECTIVE: 05/26/97
 SERVICE CLASSIFICATION NO. 2
 (Continued)

RATE: (continued)

B. Cost of Fuel Adjustment

The energy use by the lamps installed shall be subject to a fuel adjustment per kilowatthour, billed hereunder when changes from the base cost of fuel occur. This fuel adjustment shall be the fuel adjustment as calculated monthly in accordance with Rule 29 of the General Electric Tariff.

C. Lamp Charge, Without Energy:

<u>Type of Lamp</u>	<u>Billing Code</u>	<u>Lamp Size</u> (watts)	<u>Annual Charge Per Unit</u>
Mercury Vapor	001	100	\$30.62
	005	175	26.40
	007	400	30.93
	009	1000	38.83
High Pressure Sodium	020	70	\$33.43
	021	100	39.96
	023	150	43.35
	025	250	44.84
	027	400	45.49
	029	1000	85.11

D. Luminaire Charge:

<u>Type of Luminaire</u>			
Standard Enclosed	100	70	\$57.16
	101	100	55.17
	105	150/175	58.81
	107	250/400	78.05
	109	1000	126.54
Underpass	131	70/100	\$80.85
	135	150/175	66.16

Issued By: Albert J. Budney, Jr., President, Syracuse, New York