Received: 06/13/2002 Status: CANCELLED Effective Date: 09/23/2002

..DID: 19393

..TXT: PSC NO: 218 GAS LEAF: 93.2

COMPANY: NIAGARA MOHAWK POWER CORPORATION REVISION: 0

INITIAL EFFECTIVE DATE: 08/23/02 SUPERSEDING REVISION:

STAMPS:

Cancelled by 1 Rev. Leaf No. 93.2 Effective 11/01/2002 Effective date postponed to 09/23/02. See Supplement No. 49 RECEIVED: 06/13/02 STATUS: Cancelled EFFECTIVE: 09/23/02

## GENERAL INFORMATION

16. SPECIAL SERVICES PERFORMED BY COMPANY FOR CUSTOMER AT A CHARGE: (Continued)

- 16.4.1.3 In cases where the customer is unable to read the meter through a customer-provided telephone line, and the Company has determined that the problem is not caused by the Company\*s meter or equipment, the customer will be responsible to resolve the communications problem with its telephone provider and will be charged \$115 for the initial and each subsequent visit made to the meter location by Company employees to resolve the problem.
- 16.4.2 The customer shall reimburse the Company the actual reasonable cost of providing demand pulse capability, including the cost of any required hardware and/or labor.
- 16.4.3 In accordance with Rule 16.4.1, the customer will be charged the Company\*s cost to remove or relocate any existing Company-supplied metering or other equipment that is necessary to accommodate the installation of demand pulse capability.
- 16.4.4 Except as otherwise provided in this Tariff, the Company will have sole responsibility for the installation, maintenance, testing, and removal of all customer-requested demand pulse capability owned by the Company.
  - 16.4.4.1 As provided for in Rule 16.4.2, the customer will be responsible for all costs incurred by the Company in the installation, operation and maintenance of any customer requested demand pulse capability.
  - 16.4.4.2 Except as otherwise provided in this Tariff, the Company will have sole control of all customer-requested demand pulse capability.
  - 16.4.4.3 Consumption data provided by demand pulses is raw data and is not equivalent to billing consumption, which is adjusted by the appropriate BTU zone factor.

Issued By: William F. Edwards, President, Syracuse, New York