

..DID: 2957  
..TXT: PSC NO: 1 ELECTRICITY LEAF: 10  
COMPANY: VILLAGE OF ENDICOTT REVISION: 0  
INITIAL EFFECTIVE DATE: 05/10/98 SUPERSEDING REVISION:  
STAMPS:  
EFFECTIVE under authority of PSC 98-E-0544 made 04/29/98  
Cancelled by 1 Rev. Leaf No. 10 Effective 03/01/2001  
RECEIVED: 04/06/98 STATUS: Cancelled EFFECTIVE: 05/01/98  
SERVICE CLASSIFICATION NO. 3 (CONT'D)

SPECIAL PROVISIONS:

- A. When the customers' equipment includes devices which have a highly fluctuating or large instantaneous demand, such as X-RAY apparatus, welders, and other like equipment, and the customer has not provided corrective equipment to reduce the inrush current to an amount which will not cause disturbance to other customers, the demand of such devices shall be taken as the sum of the maximum instantaneous capacities as determined from the name plates or by test of those pieces of apparatus which are so connected that they may be operated at one time.
- B. Where the billing demand of such customer is determined by a demand meter, the demand of such highly fluctuating demand devices, determined as described above, shall be added to the demand as shown by the demand meter, the sum of these two demands shall be the billing demand.
- C. Customer, in taking three-phase electric energy shall maintain as nearly as is reasonably possible, equal currents in each of the three-phase conductors at the point of taking. If at any time the current in any phase conductor shall exceed the average of the currents in all the three-phase conductors by more than five (5%), the amount to be paid by the customer for the period within which the unbalance occurred, may be increased by a percentage equal to that of the unbalance.
- D. The customer will normally be required to maintain a power factor at the point of delivery of between 90 percent lagging and 90 percent leading. Should the customer fail to do so within 90 days after notification, the Village shall install the necessary corrective equipment. Such work performed by the Village will be charged for on the basis of current labor and material costs plus a charge of 40 percent to cover indirect overhead cost.

Issued by: David Archer, Mayor, Endicott, New York