

..DID: 898
..TXT: PSC NO: 218 GAS LEAF: 47
COMPANY: NIAGARA MOHAWK POWER CORPORATION REVISION: 0
INITIAL EFFECTIVE DATE: 09/12/97 SUPERSEDING REVISION:
STAMPS:
RECEIVED: 07/03/97 STATUS: Effective EFFECTIVE: 09/12/97
GENERAL INFORMATION

4. LIMITATION OF SERVICE OFFER (continued)

4.10.3.4 (continued)

building that is not in compliance. In the event that circumstances prevent collecting the surcharge amount from the owner of the non-complying building, the Company may refuse future connections for service to new tenants in the dwelling until it is brought into compliance. If the owner is an occupant of the dwelling but is not billed for any services, the surcharge will be imposed on the bill for services to the unit occupied by the owner.

4.11 Outdoor Gas Lights

4.11.1 Natural gas is permitted for outdoor lighting. The lighting fixture must employ a mantle that enables the gas to be converted to useful lighting. The use of natural gas for open flame lighting is prohibited whether the flame is open to the atmosphere or enclosed within a covering.

4.11.2 The Company shall on an annual basis inform its gas customers as to the estimated amount of natural gas used by a typical natural gas outdoor lighting fixture and the estimated yearly cost of the natural gas used.

5. CUSTOMER USE OF SERVICE:

5.1 Customer shall provide all piping on Customer's premises except piping required for service lateral, meter and regulator installations. Company is not responsible for the adequacy or safety of Customer's equipment or piping and Company reserves the right to discontinue service whenever Customer fails to maintain such equipment and piping in a safe and adequate condition or fails to utilize gas in such a manner as to avoid interference with the service furnished by Company to other Customers.

5.2 Customer shall give Company reasonable advance notice, preferably in writing, of any proposed increase in service required, setting forth in such notice the amount, character and expected duration of time the increased service will be required. If such increase in load necessitates added or enlarged facilities (other than metering equipment) for the sole use of Customer, Company may require Customer to make a reasonable contribution to the cost of adding or enlarging the facilities whenever Customer fails to give assurance, satisfactory to Company, that the taking of the increased service shall be of sufficient duration to render the supply thereof reasonably compensatory to Company. Customer or Company may apply to the Public Service commission for a ruling as to the necessity for and reasonableness of the contribution required.

Issued By: Albert J. Budney, Jr., President, Syracuse, New York