

..DID: 11294  
..TXT: PSC NO: 15 ELECTRICITY LEAF: 19.7  
COMPANY: CENTRAL HUDSON GAS & ELECTRIC CORPORATION REVISION: 0  
INITIAL EFFECTIVE DATE: 02/01/00 SUPERSEDING REVISION:  
STAMPS: Issued Under Authority of Order of PSC dated 12/31/99, Case 94-E-0952  
Cancelled by 1 Rev. Leaf No. 19.7 Effective 12/29/2000  
RECEIVED: 01/31/00 STATUS: Cancelled EFFECTIVE: 02/01/00

**3. APPLICATION FOR SERVICE** (cont'd)

C. Distributed Generation Interconnection Requirements (cont'd)

G. Application (cont'd)

NEW YORK STATE STANDARDIZED APPLICATION FOR SINGLE PHASE ATTACHMENT OF  
PARALLEL GENERATION EQUIPMENT 300 kVA OR SMALLER TO THE ELECTRIC SYSTEM OF  
CENTRAL HUDSON GAS & ELECTRIC CORPORATION (cont'd)

**For Induction Machines:**

Rotor Resistance (Rr)\_\_\_\_\_ohms Exciting Current\_\_\_\_\_ Amps  
Rotor Reactance (Xr)\_\_\_\_\_ohms Reactive Power Required:  
Magnetizing Reactance (Xm)\_\_\_\_\_ohms \_\_\_\_\_VARs (No Load)  
Stator Resistance (Rs)\_\_\_\_\_ohms \_\_\_\_\_VARs (Full Load)  
Stator Reactance (Xs)\_\_\_\_\_ohms  
Short Circuit Reactance (X"d)\_\_\_\_\_ohms Phases: ( ) Single ( ) Three-Phase  
Frame Size \_\_\_\_\_ Design Letter \_\_\_\_\_  
Temp. Rise \_\_\_\_\_EC.

**For Inverters:**

Manufacturer:\_\_\_\_\_ Model:\_\_\_\_\_  
Type:\_\_\_\_\_ ( ) Forced Commutated ( ) Line Commutated  
Rated Output: \_\_\_\_\_ Amps \_\_\_\_\_ Volts  
Efficiency:\_\_\_\_\_%

\_\_\_\_\_  
**Customer Signature Title Date**

Issued by: Arthur R. Upright, Senior Vice President, Poughkeepsie, New York