Received: 03/01/2019 Status: CANCELLED Effective Date: 04/01/2019

PSC NO: 214 ELECTRICITY LEAF: 31
NIAGARA MOHAWK POWER CORPORATION REVISION: 18
INITIAL EFFECTIVE DATE: APRIL 1, 2019 SUPERSEDING REVISION: 17

STAMPS: Issued in Compliance with Order in Case 17-E-0238, dated March 15, 2018.

SERVICE CLASSIFICATION NO. 2 (Continued)

2. Luminaire Charge

The annual HID luminaire charges, per unit, are presented below in Table 4. Luminaire charges are determined by luminaire type and HID lamp size (W). The LED annual luminaire charges, per unit, are presented below in Table 4.1 by luminaire type and LED light source size as referenced by illumination output in Table 1 (Leaf 14 and 14.1).

Table 4 - Luminaire Charge (Standard)

Annual Luminaire Charge, per unit (\$)

<u>Luminaire Type</u>	HID Lamp Size (W)								
• •	<u>70</u>	<u>100</u>	<u>150</u>	<u>175</u>	<u>250</u>	<u>400</u>			
Aspen Grove	101.04	101.04	101.04	101.04					
Central Park		123.36		123.36					
Coach	73.44	73.44	73.44	73.44					
Delaware Park			200.16	200.16	247.20	247.20			
Delaware Park Pedestrian	169.32	169.32		169.32					
Edgewater		135.00	135.00	135.00					
Edison	79.20	79.20	79.20						
Floodlight					60.60	60.60			
Setback					111.00	111.00			
Shoebox	66.72	66.72	66.72		66.72	66.72			
Traditional	49.44	49.44	49.44	49.44					
Underpass	83.88	83.88	83.88	83.88					
Williamsville	115.92	115.92	115.92	115.92					

<u>Table 4.1 – Light Source/Luminaire Charge (Standard)</u>

Annual Light Source/Luminaire Charge, per unit (\$)

<u>Luminaire Type/Light Source</u>	LED Luminaire Reference								
	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>			
Roadway-LED		84.00	88.80	110.40		119.40			
Roadway-LED (24HR)		176.46	186.54	231.92		250.83			

NOTE: LED Luminaire Reference designations A and E are reserved for future use.

New street light installations will be LED-only. Replacements of failed existing Company-owned luminaires will be LED-only on a customer "opt-in" basis. Customers who opt-into the LED-only replacement program must notify the Company in writing of their intent to participate. Upon receipt of a customer's written notification of intent, the Company will coordinate with the customer to identify the available LED luminaires that will be used to replace failed roadway HID luminaires. The HID-LED Conversion Matrix provided in Table 4.2 provides a guide for municipalities seeking to understand the corresponding illumination output of available LEDs.

Table 4.2 – Light Source/Luminaire LED Conversions

HID-LED Conversion Matrix Luminaire/Light Source Type HID (W) - LED Conversion (Based on Table 1 Reference Designations) HID LED 70 150 175 250 400 1000 Roadway Roadway-LED В C В В D F F(x2)