PSC NO: 219 GAS NIAGARA MOHAWK POWER CORPORATION INITIAL EFFECTIVE DATE: 09/01/20 STAMPS:

LEAF: 140 REVISION: 2 SUPERSEDING REVISION: 1

SERVICE CLASSIFICATION NO. 5 FIRM GAS SALES AND TRANSPORTATION SERVICE

APPLICABLE TO USE OF SERVICE FOR:

Existing firm sales and transportation customers or new transportation customers capable of transporting and consuming at least 250,000, but not greater than 1,000,000 therms annually.

A customer served under this service classification will be subject to an annual review to ensure annual therm eligibility requirements are met. The annual review will be based on a customer's most recent twelve month period. A customer may be migrated to another service classification if their annual therm eligibility requirements are not met.

CHARACTER OF SERVICE:

Delivery of customer-owned gas will be at a pressure approved by the Company. Customer-owned gas to be transported by the Company must be of pipeline quality having a minimum BTU value of 1,000 BTU per cubic foot on a dry basis. The gas quality must meet the Public Service Commission's rules and regulations regarding concentrations of hydrogen sulfide, total sulfur and ammonia. Filtration of dust and liquid hydrocarbons, and water removal will be required.

BTU ADJUSTMENT:

Customer-owned gas will be converted from volumetric measurement in CCF to Therm measurement, 100,000 Btu per Therm on a dry basis, if required, at the point Customer-owned gas enters the Company's distribution system. The factor for converting CCF measurement to Therm measurement will be as set forth in Rule 14.3.

DEFINITIONS:

For the purposes of this Service Classification the following terms have the meanings stated below:

- 1. <u>Maximum Peak Day Quantity (MPDQ)</u> means the maximum quantity of gas that the customer may take on any winter day. Customer's MPDQs will be calculated according to the Base and Thermal Methodology.
- 2. <u>"Base and Thermal Methodology"</u> "Daily Baseload" equals the customer's average daily usage in the two months of lowest daily usage during the period of June through September. Annual Baseload equals Daily baseload multiplied by 365. Thermal usage equals total usage during the twelve-month period minus Annual Baseload. "Degree Day Usage" equals Thermal Usage divided by the total number of degree days during the twelve-month period. The Maximum Peak Day Quantity equals the product of Degree Day Usage multiplied by 75 plus Daily Baseload.

BILLING QUANTITY:

The amount of gas to be billed each month under this Service Classification by the Company to the customer will be the amount consumed by the customer during any given calendar month.

Suspended to 12/30/2020 Hysterd By: John Bruckner (President, Syracture New York. The supplement filing date was 08/24/2 Suspended to 06/30/2021 by order in Case 20-G-0381. See Supplement No. 54. The supplement filing date was 12/17/2 Suspended to 12/01/2021 by order in Case 20-G-0381. See Supplement No. 55. The supplement filing date was 06/28/2 Suspended to 03/01/2022 by order in Case 20-G-0381. See Supplement No. 56. The supplement filing date was 11/19/2 Cancelled by supplement No. 57 effective 01/24/2022