

PSC NO: 10 – Electricity
Consolidated Edison Company of New York, Inc.
Initial Effective Date: 02/01/2020
Issued in compliance with Order in Case 19-E-0065 dated 01/16/2020

Leaf: 121
Revision: 7
Superseding Revision: 5

GENERAL RULES

16. Other Charges

16.1 Charge for Replacing a Damaged Meter

A charge for removing and replacing a Company owned meter that was damaged because the access controller to the meter did not exercise reasonable care or the meter was damaged due to tampering. The charge of \$86.00 for a non-demand meter, \$205.00 for a demand meter, and \$282.00 for an AMI meter, shall be assessed on the account of the access controller even if the damaged meter was for the account of another customer, except that if the meter was damaged due to tampering, the charge shall be assessed on the account of the customer who benefited from such tampering.

16.2 Charge for Investigating Tampered Apparatus

A \$413.00 charge for inspecting the apparatus, locking and sealing any tampered meter, billing, and associated administrative activities, where evidence of tampered Company apparatus is found.

16.3 Charge for Re-inspection

A \$260.00 charge for each re-inspection required because the Customer's contractor submitted documentation that its work at the Customer's premises was completed according to Company specifications and is ready for final inspection by the Company, but the Company on its inspection found the work to be either incomplete or incorrectly performed.

16.4 Charge when a Customer's Telecommunications Equipment is Not Operational

If a Customer is required to provide and maintain the telecommunications equipment for the meter at its expense pursuant to General Rule 6.5, and the Customer's telephone line is not operational for any reason when the Company attempts to read the meter, the Customer will be assessed a charge of \$50.00 on each monthly cycle date until the condition is corrected, and the Customer will be charged the fee specified in General Rule 17.1.f. for an on-site meter reading on each scheduled reading date.