

PSC NO: 214 ELECTRICITY
NIAGARA MOHAWK POWER CORPORATION
INITIAL EFFECTIVE DATE: JUNE 1, 2017

LEAF: 15
REVISION: 11
SUPERSEDING REVISION: 10

SERVICE CLASSIFICATION NO. 1 (Continued)

C. Standard Facility Charges

The charges associated with the identified categories of facility offerings presented below are applicable to all customers served by this standard facility classification, when appropriate. The charge for facility service during each billing cycle shall be the applicable monthly amounts set forth herein as of the first day of such billing cycle.

1. Lamp/Luminaire Charge

The monthly lamp/luminaire charges, per unit without volumetric charges and adjustments, are presented below in Table 2. Lamp/Luminaire charges are determined by lamp type and size (W) and luminaire type.

Table 2 - Lamp/Luminaire Charge-(Standard)

<u>Lamp/Luminaire Type</u>	<u>Monthly Lamp/Luminaire Charge, per unit (\$)</u>					
	<u>Lamp Size (W)</u>					
	<u>70</u>	<u>100</u>	<u>150</u>	<u>175</u>	<u>250</u>	<u>400</u>
<u>High Pressure Sodium</u>						
Floodlight	----	----	----	----	7.21	7.21
Roadway	5.92	5.92	5.92	----	5.92	5.92
<u>Metal Halide</u>						
Floodlight	----	----	----	----	----	8.30

2. Pole/Standard Charge

The monthly pole or standard charges per unit are presented below in Table 3. The pole/standard charges are determined by the type of pole or standard and its height.

When suitable poles are available on Company's existing secondary distribution circuits no additional charge will be made for a lighting attachment to such poles for lamps served under this service classification.

When installation of additional poles and overhead secondary supply circuits are required, Company will install, own and maintain necessary poles, overhead wires, guys and anchors, but not more than one pole per lamp and luminaire served hereunder. Customer shall pay applicable monthly facility charges as stated in RATE.

Extension of the electric distribution system for the purpose of providing appropriate electric service to the applicable facilities will comply with General Provision – Extension of Company Distribution Facilities as defined in General Information, Section IV.

Issued by Kenneth D. Daly, President, Syracuse, NY