Received: 04/27/2018 Status: CANCELLED Effective Date: 05/01/2018

PSC NO. 220 ELECTRICITY

NIAGARA MOHAWK POWER CORPORATION

INITIAL EFFECTIVE DATE: MAY 1, 2018

LEAF: 263.24

REVISION: 4

SUPERSEDING REVISION: 3

STAMPS: Issued in Compliance with Order issued April 23, 2018 in Case 15-E-0189.

GENERAL INFORMATION

62. COMMERCIAL SYSTEM RELIEF PROGRAM (Continued)

62.9.1.3 Performance Payment for Participation during Unplanned Events

62.9.1.3.1 Except as provided in Rule 62.8, a Direct Participant or Aggregator will receive payment for performance during each Unplanned Event, provided the Company can verify that the Direct Participant or Aggregator provided Load Relief.

62.9.1.3.2 The performance payment amount paid is equal to the performance payment rate in dollars per kWh multiplied by the sum of the actual load relief provided for the hours of the Unplanned Event.

62.9.1.3.3 Performance Factor

62.9.1.3.3.1 When more than one Planned Event and/or Test Event is called during the month, the average of the Performance Factors of all events for a Direct Participant or Aggregator is the Performance Factor for that month.

62.9.1.3.4 Application of Payments

62.9.1.3.4.1 Reservation Payments, Performance Payments, and Penalties under this Rule 62.9 will be calculated on a monthly basis. Payments will be made by bill credit, check, or wire transfer. Payments will be made within sixty (60) days following the end of the applicable Load Relief month.

62.9.1.3.5 Testing

62.9.1.3.5.1 The Company may require a Direct Participant or Aggregator to participate in one or more Test Events, each for a period not to exceed one hour, commencing at a time determined solely at the Company's discretion, but within the Contracted Hours.

62.9.1.3.5.2 The Company will make a payment for one hour of energy for the Load Relief achieved up to the contracted amount, as specified above in Rule 62.9.1.2. A Direct Participant or Aggregator who fails the Test will be subject to the Penalties described above in Rule 62.9.1.4.4.1.