

PSC NO: 12 GAS
COMPANY: THE BROOKLYN UNION GAS COMPANY
INITIAL EFFECTIVE DATE: 01/01/17
STAMPS: Issued in compliance with Orders in C.16-G-0059 and C.15-G-0185 dated December 16, 2016

LEAF: 224.1
REVISION: 8
SUPERSEDING REVISION: 7

SERVICE CLASSIFICATION No. 6M - Continued

Special Provisions (continued)

j. Communications Protocol (continued)

- ii) The Company will implement daily communications with demand response customers (email, mobile text messages, fax or phone call), during an interruption and, at a minimum at least one time at the end of every interruption to remind customers to replenish alternate fuel inventories as needed to maintain minimum levels.
- iii) Customers will be required to provide affidavits confirming that they have alternative fuel supply contracts in place for the upcoming winter heating season and that such contracts provide for alternative fuel replenishment on an as-needed basis. The affidavits will also include information regarding on-site storage facilities, total storage capacity, and estimated number of peak days of storage. The Company will phase in this requirement over a three-year period commencing with Winter 2017/2018. The Company will collect affidavits at random from one third of its demand response customer base each year. New affidavits will be required from individual customers every three years. Customers will be responsible for providing new affidavits if there are any changes to the affidavits originally submitted prior to the three year renewal.

Company Responsibility:

- a. Gas Service will be supplied under this Service Classification only when and to the extent that the Company has capacity available at the time of application sufficient for the service requested and the Company, after supplying Customers taking continuous service will have sufficient gas and capacity available to supply the applicant.
- b. The Company reserves the right to accept only such applications under this Service Classification as will, in the Company's sole judgment, permit it to dispose of the gas it has available for sale without requiring an unreasonable or uneconomic extension of facilities.
- c. Control devices, whether automatic or semi-automatic, will be set at the Designated Temperatures. The Company will notify Customers of the current Designated Temperatures prior to the start of each winter.
- d. The Company will be responsible for the maintenance of Company-owned equipment. This equipment is identified as the meter, the remote switchover and meter reading equipment, and all associated wiring and relays associated with that equipment.

Issued by: Kenneth D. Daly, President, Brooklyn, NY