

PSC NO: 1 ELECTRICITY  
COMPANY: VILLAGE OF SHERBURNE  
INITIAL EFFECTIVE DATE: 04/01/2015

LEAF: 14  
REVISION: 3  
SUPERSEDING REVISION: 1

Issued in compliance with Commission Order effective March 25, 2015, in Case 14-E-0410

SERVICE CLASSIFICATION NO. 5 (CONT'D)  
Private Outdoor Lighting

SPECIAL PROVISIONS:

- A. The Village of Sherburne shall furnish, install, own, operate and maintain a photo-electrically controlled Luminaire complete with not less than a 30 inch bracket, ballast and a multiple lamp at the wattage designated under the rate charge desired. The Board shall also provide a cable service span of 100 feet, which will be connected on the line side of the customer's meter. Where the service span exceeds 100 feet, the customer shall pay for the additional cable used.
- B. The lighting unit will be installed only on private property owned or leased by the customer. The customer shall furnish the necessary pole (minimum 30 ft. class 5 pressure treated) or other support, except as hereinafter provided. The Village of Sherburne reserves the right to require a mounting height which will provide proper light distribution from the unit. Where a pole is appropriately located on the premises, the Village of Sherburne may waive the requirement that the support be furnished by the customer, and install the unit on its own pole.
- C. Upon request of the customer, the Village of Sherburne will change the location of the lighting unit, providing a proper support is furnished and customer agrees to pay the Village of Sherburne for cost incurred in making such change.
- D. Lighting service will be provided every night and all night during the hours between 30 minutes after sunset and 30 minutes before sunrise, aggregating about 4,200 hours per year, unless prevented by accidents or other causes beyond the control of the Village of Sherburne.
- E. The customer shall notify the Village of Sherburne whenever the lamp shall become extinguished or out of service for any reason and the Village of Sherburne shall replace the lamp and/or make the necessary repairs with reasonable promptness.
- F. The contract is subject to cancellation in the event that maintenance or lamp replacement becomes excessive due to vandalism and other causes.

BASE PURCHASED POWER PER KILOWATT-HOUR:

The base purchase power cost per kilowatt-hour pursuant to Rule IX.B of the NYMPA generic tariff is \$0.016092.

FACTOR OF ADJUSTMENT:

The factor of adjustment pursuant to Rule IX.D of the NYMPA generic tariff is 1.055932.