

P.S.C. No. 7 Electricity
City of Jamestown
Initial Effective Date: September 1, 2015

Leaf: 105
Revision: 6
Superseding Revision: 5

SERVICE CLASSIFICATION NO. 4 OFF-STREET LIGHTING

APPLICABLE TO USE OF SERVICE FOR:

Outdoor lighting of areas other than public streets, highways, and roadways, for individuals, private organizations, and institutional establishments where suitable electric service lines are available.

AVAILABILITY:

Mercury vapor lamps shall not be available for new installations. New or replacement fixtures shall be either sodium vapor or LED and shall meet the NYS dark skies initiative pursuant to NYS bill A1478-2011. No new services shall be made unless they can be attached on suitable poles that are already available in Utility's existing distribution system.

CHARACTER OF SERVICE:

Unmetered service for limited period, dusk-to-dawn, of approximately 4300 hours per year; alternating current, 60 Hz, at voltage designated by the Utility. Utility will own, operate, and maintain all facilities installed by it. Lamps and fixtures will be located as designated by Customer but will be located so as to be available to Utility's service vehicles.

RATE:

The charge for service for each calendar month shall be the sum of the following:

A. Charges per Lamp per Month				
<u>Mercury Vapor</u>	<u>Rate</u>	<u>LED Class</u>	<u>LED Wattage</u>	<u>Rate</u>
11,000 Lumen, 250 Watts	\$8.43	L1	<50	\$6.37
		L2	50-75	\$6.80
		L3	75-100	\$7.28
<u>Sodium Vapor</u>	<u>Rate</u>	L4	100-125	\$7.65
15,000 Lumen, 150 Watts	\$9.05	L5	125-150	\$8.01
23,000 Lumen, 250 Watts	\$12.10	L6	150-175	\$8.45
46,500 Lumen, 400 Watts	\$12.73	L7	175-200	\$8.89
		L8	200-225	\$9.45
		L9	225-250	\$10.01
		L10	250-275	\$10.57
		L11	275-300	\$11.13

TEMPORARY STATE ASSESSMENT: \$0.00091

B. Facilities Charge

1. When suitable poles are available in Utility's existing distribution system, no charge will be made for the pole.

Issued by: David L. Leathers, General Manager
City of Jamestown, New York